



Revolutionize your lifestyle with water

Change Your Water...
Change Your Life™

Powerful large electrode plate of eight

Large LCD touch panel adoption

Eight languages display and voice prompt

Anywhere in the world, supporting multi-voltage power input (100-240V)

The power of Kangen water® preserves your body and the environment!

Leveluk
KANGEN8

Continuous Ionized Electrolysis Water Generator





Sanitary water

Strong Acidic Water pH2.5 and below

⚠️ not suitable for drinking



button Touch

from the secondary pipe

(At the same time, Strong Kangen Water will be released from the flexible pipe.)

Cleaning and Disinfecting Power

Excellent disinfecting power

Excellent cleaning and disinfecting power Strong acidic water has excellent disinfecting power that help prevent food poisoning. Use it to clean & sterilize your produce, meat and cookware.



What is Strong Acidic water?

Strong Acidic Water is a type of electrolyzed water containing hypochlorous acid produced by the anodes. It is produced as a result of adding electrolysis enhancer to the electrolysis reaction. In general, the pH is below 2.7, and the ORP is over 1,100mV. It is not a strong acidic chemical substance.

- To sanitize knives, cutting boards and dish towels
- To disinfect your hands.
- To disinfect your toothbrushes
- To clean your skin
- To remove tea and coffee stains
- To eliminate odors



Environmentally friendly water

Strong Kangen Water pH11.0 and higher

⚠️ not suitable for drinking



button Touch

from the flexible pipe

(At the same time, Strong Acidic Water will be released from the secondary pipe.)

Cleaning Power

It has a strong effect to dissolve and clean materials.

Super Swelling Power

It softens materials quickly.

Dissolving Power

It has a strong power to dissolve and draw out substances.

Thermal Conduction

It doesn't take long time to boil.



What is Strong Kangen Water?

Strong Kangen Water is a type of electrolyzed water with an electron potential containing sodium hydroxide produced by the cathode. In general, the pH is over 11.0, and the ORP is 700mV or less. It is not a strong alkaline substance.

Strong Kangen Water packs an effective cleaning effect as a detergent preserving hygiene in your daily life.

- To clean cutting boards, knives, and dishes
- To sterilize vegetables, meat.
- To remove slime and stains on the floor
- To remove toilet stains
- To remove stains from coffee, soy sauces
- To use for washing clothes(reduces the need for laundry detergent)
- To remove the harsh taste of wild vegetables



※ It will be still more effective to clean with strong acidic water after cleaning with strong kangen water.



Healthy water

Kangen Water® pH8.5~9.5 suitable for drinking



from the flexible pipe

(At the same time, Acid Water will be released from the secondary pipe.)

Swelling Power

It has the power to soften substances.

Dissolving Power

It dissolves and draws out substances.

Thermal Conduction

It doesn't take a long time to boil.

Kangen Water® improves the taste of your drinking water and food.

● With coffee, or tea

Taste and aroma are everything. Using less coffee and tea, but pulling out more flavor, you'll be amazed at the color, taste and aroma and achieve a fuller, richer taster.

● With other strongly acidic foods

Drink Kangen Water® together when eating strongly acidic foods such as meat and egg. The alkaline water helps your body balance the acidic effects.

● When making soups and stews

Kangen Water® draws out the flavor of ingredients so your cuisine turns out tender and juicy. You'll need less seasoning, making it perfect for people trying to reduce their intake of salt.

● Use for washing vegetables

Use Kangen Water® to remove the raw taste of onions and other strong-flavored vegetables.

● In cooking rice

Kangen Water® used to wash and cook rice brings out delicious and fluffy rice.



※What is ORP (Oxidation Reduction Potential)?

ORP (Oxidation Reduction Potential) is a value that measures the proportion of oxidizing ions (such as chloride ions) and reduction ions (such as calcium ions) in a solution. If this is a negative value, this solution is an electron donor and can be easily oxidized. If this is a positive value, the solution is an oxidizing solution and can be easily reduced. This value is shown in mV(millivolt) and is used as a reference to display the degree of chemical reaction.



Water for beauty

Acidic Water pH6.0 and below

⚠️ not suitable for drinking



button



from the

flexible pipe

(At the same time, Kangen Water® will be released from the secondary pipe.)

Astringency

It has the power to lighten substances.

Cleaning Power

It has the power to purify substances.

Acidic water is especially effective in toning the skin.

It helps to refresh the skin after a hot bath or shower and also works to close the pores after washing your face.

For boiling pasta and making batters for frying.

Noodles and pasta will take on a brilliant shine and improved texture as a result of boiling then in acidic water. Acidic water will also enhance the batter and crispy texture of fried foods.

As a cleaner.

Acidic water is effective in cleaning stains on dishes, cups, glasses, even bathroom tiles.



Water of security

Clean Water pH7.0 suitable for drinking



button



from the

flexible pipe

(At the same time, the secondary pipe also releases purified water, but please use the water released from the flexible pipe.)

Use clean water to take medication and make baby formula.

The three-layered, high-power water filter removes not only chlorine but also sediment such as rust and impurities. Clean water tastes delicious and is filled with essential minerals. Clean water is best used to take medications and in making baby formula.






Four points that improve the taste of drinking water.

Point 1 Electrolysis cell with 8 electrode plates ensures high power.

It is possible to produce a good amount of electrolyzed water of which the value of ORP is included in the range of +1130mV and -800mV and which boasts of good effects, by loading an electrolytic cell with eight electrode plates that use electrodes made of platinum plated titanium. (That depends on the choice of resulting water and original water) The Kangen water® contains a lot of hydroxide ions (OH⁻) and positive ions (such as calcium ions) produced by electrolysis, and it also contains hydrogen.



Point 2 A clear, easily viewable, Large LCD with a touch panel makes it easy to operate.

A clear, easily viewable, Large LCD shows you the types of water being produced (Kangen Water®, Acidic Water, Strong Acidic Water® and Clean Water) and other necessary information. Selection of water type can be made with only one touch. It is very easy to operate. Introduction of a touch panel has greatly enhanced ease of operation.

※ Pressing the pH2.5 button simultaneously produces Strong Acidic Water from the spout and Strong Kangen Water from the flexible pipes.

Display
Displays the type of water produced and operation status at the time of water passing through.

Water type selection button

pH9.5	: Kangen Water®	pH9.5
pH9.0	: Kangen Water®	pH9.0
pH8.5	: Kangen Water®	pH8.5
pH7.0	: Clean Water	pH7.0
pH6.0	: Acidic Water	pH6.0
pH2.5	: Strong Acidic Water	pH2.5
pH2.5	: Strong Kangen Water	pH2.5

Setting
Displays a setting screen.


Point 3 With 8-language display and voice prompt, you can use it with ease.

For display and voice prompt, you can select from 8 languages: Japanese, English, French, German, Chinese, Italian, Spanish, and Portuguese (voice prompt changes automatically upon change of language display).



Point 4 Supporting multi-voltage power input, can be used anywhere in the world.


As indicated in the figure below, voltages and plug shapes for electric power supply vary depending on countries and regions. This product supports multi-voltage power input that can be used anywhere in the world (accompanying power-supply cord varies depending on the country of use).



The three-layered, high-powered water-cleaning filter creating delicious water

You will be able to use your water-cleaning filter until the total amount of water the filter has treated reaches around 3000 gallons. That is to say, you can use it for six months supposing you use around 16 gallons of water per day. (This period differs depending on the quality and amount of water). It will be announced by the LCD, voice prompts, and alarm when it is time to exchange the filter.

The three-layered, high-powered water-cleaning filter removes matters such as lead, remaining chlorine (bleaching powder), effluvium, rust, and impurity, and still keeps minerals.



When the flexible pipe is releasing kangen water®, the secondary pipe releases acidic water simultaneously. Similarly, when the flexible pipe is releasing strong kangen water®, the secondary pipe discharges strong acidic water.

(The flexible pipe releases acidic water only when you push the button for acidic water.)



With the one-touch convenience of the diverter, change between



ION Clean Water




TAP Tap water Shower



TAP Tap water (Straight)

NO SPECIAL INSTALLATION REQUIRED. The diverter included with unit will fit almost any type of faucet.


■ Faucet types and diverter



■ [Option Items]

- Replacement Water Filter
 - Optional type for Chlorine & Lead (pb) removal.....MW-F8
- Electrolysis enhancer tank.....(including electrolysis enhancer)
- Cleaning tank set.....(cleaning tank (with cap for adding cleaning powder) and 6 packets of cleaning powder)
- Mineral tank set.....(mineral tank (with cap for adding mineral powder) and 15g of calcium lactate)

■ Scale drawing



■ Standard Specifications

MODEL NAME • NUMBER	Leveluk K8 A26-00	WATER FILTER	FILTERING MEDIUM	Anti-bacterial Granular Activated Charcoal & Calcium Sulfite	
WATER SOURCE CONNECTION	1-way diverter (TAP/ION) connects to end of faucet		FILTRATION ABILITY	FREE RESIDUAL CHLORINE	Total water flow : 3000 gallons or more Removal rate/ JISS3201 Test : 80%
POWER SUPPLY	AC 100-240V, 50/60Hz 2.0-1.0A (with ground)			INITIAL CHLORINE REMOVAL	95% or more
POWER CONSUMPTION	Approx. 200W (under max electrolysis function)		ELEMENTS NOT REMOVABLE		Metallic ions and/or salinity present in original tap water
SYSTEM	Continuous Ionized Electrolysis Water Generator System (with built-in flow rate sensor)		Time to exchange the filter		When the filter has treated over 3000 gallons of water (this figure depends on the quality of water)
PRODUCTION RATE (per minute)	Kangen Water® : 4.5 ~ 8.0(L) 1.2 ~ 2.1(gallons) Acidic Water : 1.5 ~ 3.0(L) 0.4 ~ 0.8(gallons) Strong Acidic Water : 0.6 ~ 1.5(L) 0.16 ~ 0.4(gallons)		APPLICABLE WATER QUALITY AND PRESSURE		Municipally supplied drinking water with a dynamic range in 100~450 kPa
LEVEL SELECTIONS	<ul style="list-style-type: none"> ● Kangen water® / 3 levels (approx. pH8.5/pH9.0/pH9.5) ● Clean water (approx. pH7.0) ● Acidic water (approx. pH6.0) ● Strong Acidic water (approx. pH2.5) /Strong Kangen water (approx. pH11.0) 		ELECTROLYSIS ENHANCER		Solution additive pump system
			ENHANCER REFILLING		Indicates by Voice prompt and LCD
			PROTECTOR		Current Limiter/Voltage Stabilizer & thermal protection
CELL CLEANING METHOD	Auto double cleaning system (Kangen refresh/passing water cleaning)				
ELECTRODE MATERIAL	Platinum-plated Titanium				

SAFETY PRECAUTIONS For your own safety, be sure to observe the following precautions

⚠ WARNING	⚠ CAUTION
<ul style="list-style-type: none"> ● Please read the Operation Manual carefully, and follow all instructions. ● Pay strict attention to the following points before consuming Ionized alkaline water (KANGEN WATER®) : <ol style="list-style-type: none"> (1) Do not take medicine(s) with KANGEN WATER®. (2) Those with an acidity conditions should not consume KANGEN WATER®. (3) Should you experience any abnormal feelings after consuming ● KANGEN WATER®, discontinue use immediately. Also, consult with your physician prior to consuming KANGEN WATER® Should you have any concerns. ● Those under the care of a physician should consult with their physician before consuming KANGEN WATER®. ● Those with sensitive skin or allergies should consult their physician before consuming KANGEN WATER®. ● Those with allergic reactions or sensitivity to acidic water should consult their physician. 	<ul style="list-style-type: none"> ● For those drinking KANGEN WATER® for the 1st time: It is recommend the you start drinking KANGEN WATER® at 8.5pH with 1~2 glasses/day for on week. ● You can then gradually increase the pH level. ● Should you experience a rash after drinking KANGEN WATER®: Those with allergies to certain foods may experience rash-like symptoms. Consult with your physician. ● Use municipally-treated tap water.

- The specifications or appearance of the product are subject to manufacturer's improvements without prior notice.
- Please be aware that actual products may differ slightly in color, etc from that seen in print.
- For more information about the product, please inquire with the sales dealer in your district or area.
- Every product has an accompanying warranty card, which shall be filled in and issued by the Representative Sales Firm. Please check the contents and keep it in safe place for later use during the period of warranty.



ISO 9001:2008
ISO 13485:2003
Management System
www.tuv.com
ID 9105070879

Enagic Osaka Plant is a plant that obtained their certification ISO 9001: 2008 ISO14001: 2004 ISO13485: 2003.

Distributor

For more info, please visit:

www.KangenWater.co.id